

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2401	sort\$3 with (record or data or object) with (hierarch\$4 or referen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 10:28
L2	183	L1 same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 10:28
L3	4	L2 same foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 10:28
L4	14	(US-20030046434-\$ or US-20030018764-\$ or US-20020057803-\$ or US-20020143866-\$ or US-20050215236-\$ or US-20040202304-\$ or US-20030221162-\$ or US-20040203896-\$).did. or (US-6433687-\$ or US-6505200-\$ or US-6502092-\$ or US-5819254-\$ or US-5765159-\$).did. or (NA9406477).tban.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2005/12/02 11:19
L5	9	4 and (xml or relational database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:33
L6	2470	sort\$3 same (send\$3 or transmit\$4) same (object or data) same (mobile or user or client or pda or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:39
L7	332712	(related or dependent) with (object or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:35

L8	130	6 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:35
L9	19461	((707/7,10,103R,103Y,103,103Z) or (709/201-203,217-219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:35
L10	7	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:35
L11	6	10 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:53
L12	98365	(send\$3 or transmit\$4) with (previously or already)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:42
L13	2	8 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:41
L14	224617	(send\$3 or transmit\$4 or stored) with (previously or already)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:42
L15	4	8 same 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:50

L16	92	8 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:50
L17	497	sort\$3 with ((dependen\$3 or related) near (data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:53
L18	61	17 same (send\$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:53
L19	26	17 with (send\$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:52
L20	18	19 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:49
L21	98	sort\$3 adj3 ((dependen\$3 or related) near (data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:54
L22	21	21 same (send\$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:53
L23	18	22 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:53

L24	105	sort\$3 adj3 ((dependen\$3 or related) near (data or object or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:00
L25	109	(sort\$3 or alphabetize or reorganize or reorder) adj3 ((dependen\$3 or related) near (data or object or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:00
L26	2	25 and ((sync or synchroniz\$5) same (mobile or portable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:59
L27	2	25 and ((sync or synchroniz\$5) same (mobile or portable or handheld or laptop or pda or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41
L28	2	25 and ((sync or synchroniz\$5 or transfer\$3) same (date or information) same (mobile or portable or handheld or laptop or pda or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:00
L29	119	(sort\$3 or alphabetiz\$3 or reorganiz\$3 or reorder\$3) adj3 ((dependen\$3 or related) near (data or object or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:00
L30	2	29 and ((sync or synchroniz\$5 or transfer\$3) same (date or information) same (mobile or portable or handheld or laptop or pda or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:01
L31	588	(sort\$3 or alphabetize or reorganize or reorder) with ((dependen\$3 or related) near (data or object or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:00

L32	637	(sort\$3 or alphabetiz\$3 or reorganiz\$3 or reorder\$3) with ((dependen\$3 or related) near (data or object or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:02
L33	12	32 and ((sync or synchroniz\$5 or transfer\$3) same (date or information) same (mobile or portable or handheld or laptop or pda or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:01
L34	9	33 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:02
L35	11	("20010022558" "20020143462" "20030096621" "5945948" "6026304" "6192312" "6236365" "6260759" "6522296" "6611751" "6772213").PN. OR ("6845241").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/12/02 13:04
L36	6	("5499359" "5553218" "5832498" "6070165" "6154750" "6401089").PN. OR ("6502092").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/12/02 13:10
L37	104	palm.as. and (sync or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:49
L38	101	37 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:56
L39	6	38 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:57
L40	3	sort\$3 same send\$3 same select\$3 same (related data or related records)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:58

L41	16	(sort\$3 or alphabetiz\$3 or reorganiz\$3 or reorder\$3) same (send\$3 or transmit\$4) same select\$3 same (related data or related records)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:59
L42	18	(sort\$3 or alphabetiz\$3 or reorganiz\$3 or reorder\$3) same (send\$3 or transmit\$4) same select\$3 same (related data or related records or referenced records or referenced data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 13:59
L43	9	41 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:00
L44	11	42 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41
L45	645	recursiv\$3 with (related or dependen\$4 or reference\$1) with (record or object or data or entity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:02
L46	129	recursiv\$3 with ((related or dependen\$4 or reference\$1) adj (record or object or data or entity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:02
L47	108	46 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:26
L48	4	46 same (sort\$3 or alphabetiz\$3 or reorganiz\$3 or reorder\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 14:06

L49	26	(US-20030046434-\$ or US-20030018764-\$ or US-20020057803-\$ or US-20020143866-\$ or US-20050215236-\$ or US-20040202304-\$ or US-20030221162-\$ or US-20040203896-\$ or US-20020010740-\$ or US-20030134648-\$ or US-20030130987-\$ or US-20020095424-\$ or US-20020143462-\$).did. or (US-6433687-\$ or US-6505200-\$ or US-6502092-\$ or US-5819254-\$ or US-5765159-\$ or US-6954611-\$ or US-6751656-\$ or US-6768994-\$ or US-5566069-\$ or US-6772213-\$ or US-6785868-\$ or US-6615246-\$). did. or (NA9406477).tban.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2005/12/02 14:08
L50	18	49 and (sorting or sorted or sorts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:23
L51	18	49 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:09
L52	2	51 and recursiv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:06
L53	7	49 and foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41
L54	2959	search\$3 with foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41

L55	51	search\$3 with foreign key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41
L56	39	55 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 15:41
L57	18	56 and (mobile or portable or handheld or laptop or pda or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:03
L58	4	49 and ((sorting or sorted or sorts) same (parent or hierarch\$4 or foreign))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:25
L59	4	49 and ((sorting or sorted or sorts) same (parent or hierarch\$4 or foreign or dependency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:25
L60	0	49 and ((sorting or sorted or sorts) with result with (parent or hierarch\$4 or foreign or dependency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:25
L61	144	((sorting or sorted or sorts) with result with (parent or hierarch\$4 or foreign or dependency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:27
L62	111	61 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:52

L63	101	((sorting or sorted or sorts) with result with (hierarch\$4 or foreign))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:27
L64	74	63 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:27
L65	30833	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:27
L66	20	64 and 65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:28
L67	8350	(data or record or information or object) with (previously) with (stored or sent) with (identify\$3 or extract\$3 or select\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:53
L68	431	65 and 67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:04
L69	2127	67 with (user or client or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:52
L70	149	65 and 69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:54

L71	116	70 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:54
L72	386	(identify\$3 or extract\$3 or select\$3 or remov\$3 or delet\$3) adj3 (data or record or information or object) adj3 ((previously) adj (stored or sent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:54
L73	25	65 and 72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:54
L74	20	73 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:55
L75	54	(identify\$3 or extract\$3 or select\$3 or remov\$3 or delet\$3) adj3 (data or record or information or object) adj3 ((previously) adj (sent or transmitted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:58
L76	40	75 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:00
L77	1	65 and 76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:58
L78	73	(identify\$3 or extract\$3 or remov\$3 or delet\$3) adj10 (data or record or information or object) adj10 ((previously) adj (sent or transmitted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:03

L79	6	65 and 78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 16:58
L80	58	78 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:04
L81	8	78 same (redundant or duplicate or efficien\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:01
L82	4474	(data or record or information or object) with ((previously) adj (sent or transmitted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:03
L83	554	82 with (client or user or broswer or mobile or portable or handheld or laptop or pda or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:03
L84	58	65 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:04
L85	46	84 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 17:04
S1	19461	((707/7,10,103R,103Y,103,103Z) or (709/201-203,217-219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:51

S2	20	mobile device same network server same synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:52
S3	13	S2 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:01
S4	171	mobile device same network server same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:52
S5	22	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:52
S6	19	S5 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:57
S7	39119	(object or key or field or row or tuple or record) with sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:58
S8	260579	(related or dependen\$3) with (object or record or field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:00
S9	1367	S7 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 14:58

S10	8	S9 same (send\$3 or transmit\$4 or receiv\$3) same (mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:53
S11	848	((related or dependen\$3) with (object or record or field) with sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:04
S12	2957	server same object same (mobile or pda or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:05
S13	3	S11 same S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:02
S14	11	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:02
S15	8	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 15:02
S16	644	((related or dependen\$3) near (object or record or field)) same sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:51
S17	14	S16 same (mobile or pda or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:25

S18	52464	server same (mobile or pda or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:52
S19	15	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:28
S20	396406	data with (element or field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:28
S21	314	S20 same foreign key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:29
S22	46	S21 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:30
S23	29	S22 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:30
S24	51	S21 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:30
S25	9	S24 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:30

S26	5	S25 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:41
S27	6314	sort\$3 same (record or data or object) same (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:35
S28	115	S27 same foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:35
S29	4	S28 same hierarch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:34
S30	1286	sort\$3 same (record or data or object) same (hierarch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:36
S31	4	S30 same foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:36
S32	2401	sort\$3 with (record or data or object) with (hierarch\$4 or referen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:41
S33	183	S32 same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:41

S35	140	S33 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:46
S36	56026	sort\$3 with (record or data or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:50
S37	564	S36 same foreign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:43
S38	48	S36 same (foreign near (key or reference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:45
S39	40	S38 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:51
S40	25	sort\$3 with (foreign near (key or reference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:45
S41	21	S40 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:46
S42	2895	sort\$3 with (dependencies or relationship)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:51

S43	13	(US-20030046434-\$ or US-20030018764-\$ or US-20020057803-\$ or US-20020143866-\$ or US-20050215236-\$ or US-20040202304-\$ or US-20030221162-\$).did. or (US-6433687-\$ or US-6505200-\$ or US-6502092-\$ or US-5819254-\$ or US-5765159-\$).did. or (NA9406477).tban.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2005/12/01 16:50
S44	1	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:50
S45	2895	sort\$3 with (dependency or relationship)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:51
S46	134	S18 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:51
S47	104	S46 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:52
S48	22	S47 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:52
S49	18497	server with (data or information) with (mobile or pda or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:53
S50	11421	(synchroniz\$5 or send\$3 or transmit\$4 or receiv\$3) same S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:54

S51	10	S50 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 16:54
-----	----	-------------	---	-----	----	------------------